




圆兴精工

整体硬质合金螺纹铣刀

Carbide Thread Mill



圆兴(厦门)精密工具有限公司

目录

CONTENTS

通用螺纹铣刀

Universal thread
Milling cutter

螺纹铣刀(ISO单牙).....	02
螺纹铣刀(ISO三牙).....	03
螺纹铣刀(ISO全牙).....	04
螺纹铣刀(NPTF/NPT).....	05
螺纹铣刀(UN三牙).....	06
螺纹铣刀(美制UN).....	07
螺纹铣刀(G/RC).....	08

铝用螺纹铣刀

Thread milling
cutter for
aluminum

螺纹铣刀(ISO单牙).....	10
螺纹铣刀(ISO三牙).....	11
螺纹铣刀(ISO全牙).....	12
螺纹铣刀(NPTF/NPT).....	13
螺纹铣刀(UN三牙).....	14
螺纹铣刀(美制UN).....	15
螺纹铣刀(G/RC).....	16

钢用螺纹铣刀

Thread milling
cutter for steel

螺纹铣刀(ISO单牙).....	18
螺纹铣刀(ISO三牙).....	19
螺纹铣刀(ISO全牙).....	20
螺纹铣刀(NPTF/NPT).....	21
螺纹铣刀(UN三牙).....	22
螺纹铣刀(美制UN).....	23
螺纹铣刀(G/RC).....	24


通用螺纹铣刀 Universal thread milling cutter

- 适用于加工普通钢、不锈钢、铝合金、铜合金、亚克力等材料；
- Suitable for processing ordinary steel, stainless steel, aluminum alloy, copper alloy, acrylic and other materials
- 无涂层设计, 产品通用性好, 适宜加工零散件；
- Uncoated design, good product versatility, suitable for processing scattered parts
- 采用高档的硬质合金基材, 拥有良好的耐磨性能；
- High-grade cemented carbide substrate is adopted, which has good wear resistance
- 外型采用全磨刃口及钝化处理, 有效提升加工尺寸精度；
- The appearance adopts full grinding cutting edge and passivation treatment, which effectively improves the machining dimensional accuracy



通用螺纹铣刀 Universal thread milling cutter

螺纹铣刀 (ISO单牙) Thread Milling Cutter (ISO Single Thread)




标准: R262 (DIN 13)
精度等级: 6H

商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长 L1	刃数 R	总长 L
CTMS01002504GN	M1.0*0.25	4	0.73	2.3	3	50
CTMS01202504GN	M1.2*0.25	4	0.92	2.8	3	50
CTMS01403004GN	M1.4*0.3	4	1.05	3.2	3	50
CTMS01603504GN	M1.6*0.35	4	1.20	3.4	3	50
CTMS01803504GN	M1.8*0.35	4	1.40	4.5	3	50
CTMS02004004GN	M2.0*0.4	4	1.55	5.0	3	50
CTMS02204504GN	M2.2*0.45	4	1.65	5.5	3	50
CTMS02504504GN	M2.5*0.45	4	1.95	6.2	3	50
CTMS03005004GN	M3.0*0.5	4	2.40	7.5	3	50
CTMS03506004GN	M3.5*0.6	4	2.75	8.7	3	50
CTMS04007004GN	M4.0*0.7	4	3.15	10.0	3	50
CTMS05008006GN	M5.0*0.8	6	4.05	12.5	3	50
CTMS06010006GN	M6.0*1.0	6	4.80	15.0	3	50
CTMS08012508GN	M8.0*1.25	8	6.50	20.0	4	60
CTMS10015010GN	M10*1.5	10	8.20	25.0	4	75
CTMS12017510GN	M12*1.75	10	9.90	30.0	6	75
CTMS14020012GN	M14*2.0	12	11.60	36.0	6	75
CTMS16020012GN	M16*2.0	12	11.90	40.0	6	83
CTMS20025016GN	M20*2.5	16	15.90	50.0	6	100
★ CTMS05008004GN	M5.0*0.8	4	3.90	12.5	3	50
★ CTMS06010004GN	M6.0*1.0	4	3.95	15.0	3	50
★ CTMS08012506GN	M8.0*1.25	6	5.90	20.0	3	60
★ CTMS10015008GN	M10*1.5	8	7.90	25.0	4	60

带★为常用缩柄经济型

通用螺纹铣刀 Universal thread milling cutter

螺纹铣刀 (ISO三牙) Thread Milling Cutter(ISO Three Teeth)




标准: R262 (DIN 13)
精度等级: 6H

商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长 L1	刃数 R	总长 L
CTMT01002504GN	M1.0*0.25	4	0.73	2.3	3	50
CTMT01202504GN	M1.2*0.25	4	0.92	2.8	3	50
CTMT01403004GN	M1.4*0.3	4	1.05	3.2	3	50
CTMT01603504GN	M1.6*0.35	4	1.20	3.4	3	50
CTMT01803504GN	M1.8*0.35	4	1.40	4.0	3	50
CTMT02004004GN	M2.0*0.4	4	1.55	4.2	3	50
CTMT02204504GN	M2.2*0.45	4	1.65	4.6	3	50
CTMT02504504GN	M2.5*0.45	4	1.95	5.2	3	50
CTMT03005004GN	M3.0*0.5	4	2.40	6.2	3	50
CTMT03506004GN	M3.5*0.6	4	2.75	7.3	3	50
CTMT04007004GN	M4.0*0.7	4	3.15	8.3	3	50
CTMT05008006GN	M5.0*0.8	6	4.05	10.4	3	50
CTMT06010006GN	M6.0*1.0	6	4.80	12.5	3	50
CTMT08012508GN	M8.0*1.25	8	6.50	16.6	4	60
CTMT10015010GN	M10*1.5	10	8.20	20.8	4	75
CTMT12017510GN	M12*1.75	10	9.90	25.0	4	75
CTMT14020012GN	M14*2.0	12	11.60	30.0	4	75
CTMT16020012GN	M16*2.0	12	11.90	33.0	4	80
CTMT20025016GN	M20*2.5	16	15.90	41.3	5	100
★ CTMT05008004GN	M5.0*0.8	4	3.90	10.4	3	50
★ CTMT06010004GN	M6.0*1.0	4	3.95	12.5	3	50
★ CTMT08012506GN	M8.0*1.25	6	5.90	16.6	3	60
★ CTMT10015008GN	M10*1.5	8	7.90	20.8	4	60

带★为常用缩柄经济型

通用螺纹铣刀 Universal thread milling cutter

螺纹铣刀 (ISO全牙) Thread Milling Cutter(ISO Full Tooth)



标准: R262(DIN 13)
精度等级: 6g/6H

商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长 L1	刃数 F	总长 L	齿数 Z
CTMF03005004GN	M3.0*0.5	4	2.4	6	3	50	12
CTMF04007004GN	M4.0*0.7	4	3.15	8	3	50	12
CTMF04507504GN	M4.5*0.75	4	3.9	9	3	50	12
CTMF05008004GN	M5.0*0.8	4	3.9	10	3	50	13
CTMF06010006GN	M6.0*1.0	6	4.8	12	3	50	12
CTMF08012508GN	M8.0*1.25	8	6.5	16.25	4	60	13
CTMF10015010GN	M10*1.5	10	8.2	21	4	75	14
CTMF12017510GN	M12*1.75	10	9.9	24.5	4	75	14
CTMF14020012GN	M14*2.0	12	11.6	28	4	75	14
CTMF16020014GN	M16*2.0	14	13.6	32	4	80	16
CTMF18025016GN	M18*2.5	16	14.8	36	4	100	14
CTMF20025018GN	M20*2.5	18	17.1	40	4	100	16
CTMF24030020GN	M24*3.0	20	19.9	50	4	100	16
★ CTMF06010004GN	M6.0*1.0	4	3.9	12	3	50	12
★ CTMF08012506GN	M8.0*1.25	6	5.8	16.25	3	60	13
★ CTMF10015008GN	M10*1.5	8	7.7	21	3	60	14
★ CTMF12017510GN	M12*1.75	10	8.7	24.5	4	75	14
★ CTMF14020010GN	M14*2.0	10	9.9	28	4	75	14
★ CTMF16020012GN	M16*2.0	12	11.9	32	4	83	16
★ CTMF18025012GN	M18*2.5	12	11.9	36	4	83	14
★ CTMF20025016GN	M20*2.5	16	15.9	40	4	92	16
★ CTMF24030016GN	M24*3.0	16	15.9	50	4	92	16
CTMF04005004GN	M4.0*0.5	4	3.0	8	3	50	16
CTMF05005004GN	M5.0*0.5	4	3.9	10	3	50	20
CTMF06007504GN	M6.0*0.75	4	3.9	12	3	50	16
CTMF08010006GN	M8.0*1.0	6	5.9	16	3	60	16
CTMF10010008GN	M10*1.0	8	7.9	20	3	60	20
CTMF12010010GN	M12*1.0	10	9.9	24	4	75	24
CTMF10012508GN	M10*1.25	8	7.7	20	3	60	16
CTMF12015010GN	M12*1.5	10	9.4	24	4	75	16
CTMF14015012GN	M14*1.5	12	11.2	28.5	4	83	19
CTMF16015012GN	M16*1.5	12	11.9	33	4	83	22
CTMF20020012GN	M20*2.0	12	11.9	32	4	83	16


带★为常用缩柄经济型

通用螺纹铣刀 Universal thread milling cutter

螺纹铣刀 (NPTF) Thread Milling Cutter(NPTF)



标准: ANSI 1.20.3-1976
精度等级: 标准NPTF




商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
NPTF1162706GN	NPTF1/16"-27	6	5.3	9.4	3	60
NPTF182708GN	NPTF1/8"-27	8	7.5	9.4	4	60
NPTF141810GN	NPTF1/4"-18	10	9.4	14.1	4	75
NPTF381812GN	NPTF3/8"-18	12	11.9	14.1	4	83
NPTF121416GN	NPTF1/2"-14	16	15.5	25.4	5	92
NPTF341416GN	NPTF3/4"-14	16	15.5	25.4	5	92
NPTF111.5GN	NPTF1"-11.5	20	19.9	33.1	5	100
NPTF211.5GN	NPTF2"-11.5	20	19.9	33.1	5	100
NPTF212820GN	NPTF2 1/2"-8	20	19.9	38.1	4	100
NPTF3820GN	NPTF3"-8	20	19.9	38.1	4	100

螺纹铣刀 (NPT) Thread Milling Cutter(NPT)



标准: AUSAS B2.1:1968
精度等级: 标准NPT




商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
NPT1162706GN	NPT1/16-27	6	5.3	9.4	3	60
NPT182708GN	NPT1/8-27	8	7.5	9.4	4	60
NPT141810GN	NPT1/4-18	10	9.4	14.1	4	75
NPT381812GN	NPT3/8-18	12	11.9	14.1	4	83
NPT121416GN	NPT1/2"-14	16	15.5	25.4	5	92
NPT341416GN	NPT3/4"-14	16	15.5	25.4	5	92
NPT111.5GN	NPT1"-11.5	20	19.9	33.1	5	100
NPT211.5GN	NPT2"-11.5	20	19.9	33.1	5	100
NPT212820GN	NPT2 1/2"-8	20	19.9	38.1	4	100
NPT3820GN	NPT3"-8	20	19.9	38.1	4	100

通用螺纹铣刀 Universal thread milling cutter

螺纹铣刀 (UN三牙) Thread Milling Cutter(UN Three Teeth)




标准: ANSI B1.1:74
精度等级: 2B



商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
CTMTU17206GN	No.1-72UNF	6	1.45	3.9	3	60
CTMTU16406GN	No.1-64UNC	6	1.4	4.2	3	60
CTMTU26406GN	No.2-64UNF	6	1.4	4.2	3	60
CTMTU25606GN	No.2-56UNC	6	1.65	5	3	60
CTMTU35606GN	No.3-56UNF	6	1.65	5	3	60
CTMTU34806GN	No.3-48UNC	6	1.9	6	3	60
CTMTU44806GN	No.4-48UNF	6	1.9	6	3	60
CTMTU44006GN	No.4-40UNC	6	2.1	6	3	60
CTMTU54006GN	No.5-40UNC	6	2.1	6	3	60
CTMTU64006GN	No.6-40UNF	6	2.45	7.2	3	60
CTMTU83606GN	No.8-36UNF	6	3.3	8.7	3	60
CTMTU83206GN	No.8-32UNC	6	2.55	7.4	3	60
CTMTU103206GN	No.10-32UNF	6	3.8	10.3	3	60
CTMTU142806GN	1/4"-28UNF	6	5.25	13.2	3	60
CTMTU102406GN	No.10-24UNC	6	3.58	10.2	3	60
CTMTU5162408GN	5/16"-24UNF	8	6.68	16.5	3	60
CTMTU142006GN	1/4"-20UNC	6	4.88	13.4	3	60
CTMTU7162010GN	7/16"-20UNF	10	9.55	23	3	75
CTMTU5161808GN	5/16"-18UNC	8	6.15	16.9	3	60
CTMTU381608GN	3/8"-16UNC	8	6.7	19.1	3	60
CTMTU7161410GN	7/16"-14UNC	10	9	23.3	3	75

通用螺纹铣刀 Universal thread milling cutter

螺纹铣刀（美制UN） Thread Milling Cutter(American UN)




标准: ANSI B1.1.74
精度等级: 2A/2B

商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
U83204GN	No.8-32UNC	4	3.9	8.7	3	50
U122804GN	No.12-28UNF	4	3.9	11.8	3	50
U122404GN	No.12-24UNC	4	3.9	11.6	3	50
U142004GN	1/4-20UNC	4	3.9	12.7	3	50
U5161806GN	5/16-18UNC	6	5.9	16.9	3	50
U381608GN	3/8-16UNC	8	7.9	19.1	3	60
U9161212GN	9/16-12UNC	12	11.9	29.6	4	83
U83604GN	No.8-36UNF	4	3	8.5	3	50
U103204GN	No.10-32UNF	4	3.3	11.1	3	50
U122804GN	No.12-28UNF	4	3.8	11.8	3	50
U142806GN	1/4-28UNF	6	4.6	12.7	3	50
U102404GN	No.10-24UNC	4	2.9	10.6	3	50
U5162406GN	5/16-24UNF	6	5.7	15.9	3	50
U382408GN	3/8-24UNF	8	7.4	19.1	3	60
U7162010GN	7/16-20UNF	10	8.5	22.9	4	75
U122010GN	1/2-20UNF	10	9.9	25.4	4	75
U9161812GN	9/16-18UNF	12	11.3	29.6	4	83
U581812GN	5/8-18UNF	12	11.9	32.5	4	83
U341616GN	3/4-16UNF	16	15.9	38.1	4	92
U7161408GN	7/16-14UNC	8	7.6	23.6	4	60
U781420GN	7/8-14UNF	20	18.7	44.4	4	100
U121310GN	1/2-13UNC	10	8.9	25.4	4	75
U11121220GN	1"-1 1/2"12UNF	20	19.9	50.8	5	100
U581112GN	5/8-11UNC	12	11	32.3	4	83
U341016GN	3/4-10UNC	16	13.5	38.1	5	92
U78916GN	7/8-9UNC	16	15.2	45.2	4	92
U1820GN	1"-8UNC	20	17	50.8	4	100

通用螺纹铣刀 Universal thread milling cutter


螺纹铣刀 (G) Thread Milling Cutter(G)



标准: B.S.2779:1956
精度等级: 中等A级

商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
G1162806GN	G1/16-28	6	5.8	16.3	3	60
G182808GN	G1/8-28	8	7.7	20	3	60
G141910GN	G1/4-19	10	9.9	26.7	4	75
G381916GN	G3/8-19	16	13.4	33.4	4	92
G341416GN	G3/4-14	16	15.7	43.5	5	92
G121416GN	G1/2-14	16	15.7	43.5	5	92
G341416GN	G3/4-14	16	15.7	43.5	5	92
G11120GN	G1"-11	20	19.9	41.6	5	100
G1121120GN	G1 1/2"-11	20	19.9	41.6	5	100
G21120GN	G2"-11	20	19.9	41.6	5	100
G2121120GN	G2 1/2"-11	20	19.9	41.6	5	100

螺纹铣刀 (RC) Thread Milling Cutter(RC)



标准: B.S.21:1985
精度等级: 标准BSPT

商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
RC1162806GN	RC1/16-28	6	5.8	16.3	3	60
RC182808GN	RC1/8-28	8	7.7	20	3	60
RC141910GN	RC1/4-19	10	9.9	26.7	4	75
RC381916GN	RC3/8-19	16	13.4	33.4	4	92
RC121416GN	RC1/2"-14	16	15.7	43.5	5	92
RC341416GN	RC3/4"-14	16	15.7	43.5	5	92
RC11120GN	RC1"-11	20	19.9	41.6	5	100
RC1121120GN	RC1 1/2"-11	20	19.9	41.6	5	100
RC21120GN	RC2"-11	20	19.9	41.6	5	100
RC2121120GN	RC2 1/2"-11	20	19.9	41.6	5	100

铝用螺纹铣刀 Thread milling cutter for aluminum

- 适用于加工型材铝、压铸铝合金、黄铜、紫铜、PVC等材料;
- Suitable for processing profile aluminum, die-casting aluminum alloy, brass, copper, PVC and other materials
- 涂层采用DLC多层纳米覆膜设计, 确保刀具的耐磨性;
- The coating adopts DLC multilayer nano-film design to ensure the wear resistance of the tool
- 采用高档的硬质合金基材, 拥有良好的耐磨性能;
- High-grade cemented carbide substrate is adopted, which has good wear resistance
- 外型采用全磨刃口及钝化处理, 有效提升加工精度
- The appearance adopts full grinding cutting edge and passivation treatment, which effectively improves the machining dimensional accuracy




铝用螺纹铣刀 Thread milling cutter for aluminum

螺纹铣刀 (ISO单牙) Thread Milling Cutter (ISO Single Thread)



标准: R262 (DIN 13)
精度等级: 6H



商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长 L1	刃数 R	总长 L
CTMS01002504AL	M1.0*0.25	4	0.73	2.3	3	50
CTMS01202504AL	M1.2*0.25	4	0.92	2.8	3	50
CTMS01403004AL	M1.4*0.3	4	1.05	3.2	3	50
CTMS01603504AL	M1.6*0.35	4	1.20	3.4	3	50
CTMS01803504AL	M1.8*0.35	4	1.40	4.5	3	50
CTMS02004004AL	M2.0*0.4	4	1.55	5.0	3	50
CTMS02204504AL	M2.2*0.45	4	1.65	5.5	3	50
CTMS02504504AL	M2.5*0.45	4	1.95	6.2	3	50
CTMS03005004AL	M3.0*0.5	4	2.40	7.5	3	50
CTMS03506004AL	M3.5*0.6	4	2.75	8.7	3	50
CTMS04007004AL	M4.0*0.7	4	3.15	10.0	3	50
CTMS05008006AL	M5.0*0.8	6	4.05	12.5	3	50
CTMS06010006AL	M6.0*1.0	6	4.80	15.0	3	50
CTMS08012508AL	M8.0*1.25	8	6.50	20.0	4	60
CTMS10015010AL	M10*1.5	10	8.20	25.0	4	75
CTMS12017510AL	M12*1.75	10	9.90	30.0	6	75
CTMS14020012AL	M14*2.0	12	11.60	36.0	6	75
CTMS16020012AL	M16*2.0	12	11.90	40.0	6	83
CTMS20025016AL	M20*2.5	16	15.90	50.0	6	100
★ CTMS05008004AL	M5.0*0.8	4	3.90	12.5	3	50
★ CTMS06010004AL	M6.0*1.0	4	3.95	15.0	3	50
★ CTMS08012506AL	M8.0*1.25	6	5.90	20.0	3	60
★ CTMS10015008AL	M10*1.5	8	7.90	25.0	4	60


带★为常用缩柄经济型

铝用螺纹铣刀 Thread milling cutter for aluminum

螺纹铣刀 (ISO三牙) Thread Milling Cutter (ISO Three Teeth)



标准: R262 (DIN 13)
精度等级: 6H




商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长 L1	刃数 R	总长 L
CTMT01002504AL	M1.0*0.25	4	0.73	2.3	3	50
CTMT01202504AL	M1.2*0.25	4	0.92	2.8	3	50
CTMT01403004AL	M1.4*0.3	4	1.05	3.2	3	50
CTMT01603504AL	M1.6*0.35	4	1.20	3.4	3	50
CTMT01803504AL	M1.8*0.35	4	1.40	4.0	3	50
CTMT02004004AL	M2.0*0.4	4	1.55	4.2	3	50
CTMT02204504AL	M2.2*0.45	4	1.65	4.6	3	50
CTMT02504504AL	M2.5*0.45	4	1.95	5.2	3	50
CTMT03005004AL	M3.0*0.5	4	2.40	6.2	3	50
CTMT03506004AL	M3.5*0.6	4	2.75	7.3	3	50
CTMT04007004AL	M4.0*0.7	4	3.15	8.3	3	50
CTMT05008006AL	M5.0*0.8	6	4.05	10.4	3	50
CTMT06010006AL	M6.0*1.0	6	4.80	12.5	3	50
CTMT08012508AL	M8.0*1.25	8	6.50	16.6	4	60
CTMT10015010AL	M10*1.5	10	8.20	20.8	4	75
CTMT12017510AL	M12*1.75	10	9.90	25.0	4	75
CTMT14020012AL	M14*2.0	12	11.60	30.0	4	75
CTMT16020012AL	M16*2.0	12	11.90	33.0	4	80
CTMT20025016AL	M20*2.5	16	15.90	41.3	5	100
★ CTMT05008004AL	M5.0*0.8	4	3.90	10.4	3	50
★ CTMT06010004AL	M6.0*1.0	4	3.95	12.5	3	50
★ CTMT08012506AL	M8.0*1.25	6	5.90	16.6	3	60
★ CTMT10015008AL	M10*1.5	8	7.90	20.8	4	60

带★为常用缩柄经济型

铝用螺纹铣刀 Thread milling cutter for aluminum

螺纹铣刀 (ISO全牙) Thread Milling Cutter(ISO Full Tooth)



标准: R262(DIN 13)
精度等级: 6g/6H

商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长 L1	刃数 F	总长 L	齿数 Z
CTMF03005004AL	M3.0*0.5	4	2.4	6	3	50	12
CTMF04007004AL	M4.0*0.7	4	3.15	8	3	50	12
CTMF04507504AL	M4.5*0.75	4	3.9	9	3	50	12
CTMF05008004AL	M5.0*0.8	4	3.9	10	3	50	13
CTMF06010006AL	M6.0*1.0	6	4.8	12	3	50	12
CTMF08012508AL	M8.0*1.25	8	6.5	16.25	4	60	13
CTMF10015010AL	M10*1.5	10	8.2	21	4	75	14
CTMF12017510AL	M12*1.75	10	9.9	24.5	4	75	14
CTMF14020012AL	M14*2.0	12	11.6	28	4	75	14
CTMF16020014AL	M16*2.0	14	13.6	32	4	80	16
CTMF18025016AL	M18*2.5	16	14.8	36	4	100	14
CTMF20025018AL	M20*2.5	18	17.1	40	4	100	16
CTMF24030020AL	M24*3.0	20	19.9	50	4	100	16
★ CTMF06010004AL	M6.0*1.0	4	3.9	12	3	50	12
★ CTMF08012506AL	M8.0*1.25	6	5.8	16.25	3	60	13
★ CTMF10015008AL	M10*1.5	8	7.7	21	3	60	14
★ CTMF12017510AL	M12*1.75	10	8.7	24.5	4	75	14
★ CTMF14020010AL	M14*2.0	10	9.9	28	4	75	14
★ CTMF16020012AL	M16*2.0	12	11.9	32	4	83	16
★ CTMF18025012AL	M18*2.5	12	11.9	36	4	83	14
★ CTMF20025016AL	M20*2.5	16	15.9	40	4	92	16
★ CTMF24030016AL	M24*3.0	16	15.9	50	4	92	16
CTMF04005004AL	M4.0*0.5	4	3.0	8	3	50	16
CTMF05005004AL	M5.0*0.5	4	3.9	10	3	50	20
CTMF06007504AL	M6.0*0.75	4	3.9	12	3	50	16
CTMF08010006AL	M8.0*1.0	6	5.9	16	3	60	16
CTMF10010008AL	M10*1.0	8	7.9	20	3	60	20
CTMF12010010AL	M12*1.0	10	9.9	24	4	75	24
CTMF10012508AL	M10*1.25	8	7.7	20	3	60	16
CTMF12015010AL	M12*1.5	10	9.4	24	4	75	16
CTMF14015012AL	M14*1.5	12	11.2	28.5	4	83	19
CTMF16015012AL	M16*1.5	12	11.9	33	4	83	22
CTMF20020012AL	M20*2.0	12	11.9	32	4	83	16


带★为常用缩柄经济型

铝用螺纹铣刀 Thread milling cutter for aluminum

螺纹铣刀 (NPTF) Thread Milling Cutter(NPTF)



标准: ANSI 1.20.3-1976
精度等级: 标准NPTF




商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
NPTF1162706AL	NPTF1/16"-27	6	5.3	9.4	3	60
NPTF182708AL	NPTF1/8"-27	8	7.5	9.4	4	60
NPTF141810AL	NPTF1/4"-18	10	9.4	14.1	4	75
NPTF381812AL	NPTF3/8"-18	12	11.9	14.1	4	83
NPTF121416AL	NPTF1/2"-14	16	15.5	25.4	5	92
NPTF341416AL	NPTF3/4"-14	16	15.5	25.4	5	92
NPTF111.5AL	NPTF1"-11.5	20	19.9	33.1	5	100
NPTF211.5AL	NPTF2"-11.5	20	19.9	33.1	5	100
NPTF212820AL	NPTF2 1/2"-8	20	19.9	38.1	4	100
NPTF3820AL	NPTF3"-8	20	19.9	38.1	4	100

螺纹铣刀 (NPT) Thread Milling Cutter(NPT)



标准: AUSAS B2.1:1968
精度等级: 标准NPT




商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
NPT1162706AL	NPT1/16-27	6	5.3	9.4	3	60
NPT182708AL	NPT1/8-27	8	7.5	9.4	4	60
NPT141810AL	NPT1/4-18	10	9.4	14.1	4	75
NPT381812AL	NPT3/8-18	12	11.9	14.1	4	83
NPT121416AL	NPT1/2"-14	16	15.5	25.4	5	92
NPT341416AL	NPT3/4"-14	16	15.5	25.4	5	92
NPT111.5AL	NPT1"-11.5	20	19.9	33.1	5	100
NPT211.5AL	NPT2"-11.5	20	19.9	33.1	5	100
NPT212820AL	NPT2 1/2"-8	20	19.9	38.1	4	100
NPT3820AL	NPT3"-8	20	19.9	38.1	4	100

铝用螺纹铣刀 Thread milling cutter for aluminum

螺纹铣刀 (UN三牙) Thread Milling Cutter(UN Three Teeth)



标准: ANSI B1.1:74
精度等级: 2B




商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
CTMTU17206AL	No.1-72UNF	6	1.45	3.9	3	60
CTMTU16406AL	No.1-64UNC	6	1.4	4.2	3	60
CTMTU26406AL	No.2-64UNF	6	1.4	4.2	3	60
CTMTU25606AL	No.2-56UNC	6	1.65	5	3	60
CTMTU35606AL	No.3-56UNF	6	1.65	5	3	60
CTMTU34806AL	No.3-48UNC	6	1.9	6	3	60
CTMTU44806AL	No.4-48UNF	6	1.9	6	3	60
CTMTU44006AL	No.4-40UNC	6	2.1	6	3	60
CTMTU54006AL	No.5-40UNC	6	2.1	6	3	60
CTMTU64006AL	No.6-40UNF	6	2.45	7.2	3	60
CTMTU83606AL	No.8-36UNF	6	3.3	8.7	3	60
CTMTU83206AL	No.8-32UNC	6	2.55	7.4	3	60
CTMTU103206AL	No.10-32UNF	6	3.8	10.3	3	60
CTMTU142806AL	1/4"-28UNF	6	5.25	13.2	3	60
CTMTU102406AL	No.10-24UNC	6	3.58	10.2	3	60
CTMTU5162408AL	5/16"-24UNF	8	6.68	16.5	3	60
CTMTU142006AL	1/4"-20UNC	6	4.88	13.4	3	60
CTMTU7162010AL	7/16"-20UNF	10	9.55	23	3	75
CTMTU5161808AL	5/16"-18UNC	8	6.15	16.9	3	60
CTMTU381608AL	3/8"-16UNC	8	6.7	19.1	3	60
CTMTU7161410AL	7/16"-14UNC	10	9	23.3	3	75

铝用螺纹铣刀 Thread milling cutter for aluminum

螺纹铣刀 (美制UN)

Thread Milling Cutter(American UN)




标准: ANSI B1.1.74
精度等级: 2A/2B

商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
U83204AL	No.8-32UNC	4	3.9	8.7	3	50
U122804AL	No.12-28UNF	4	3.9	11.8	3	50
U122404AL	No.12-24UNC	4	3.9	11.6	3	50
U142004AL	1/4-20UNC	4	3.9	12.7	3	50
U5161806AL	5/16-18UNC	6	5.9	16.9	3	50
U381608AL	3/8-16UNC	8	7.9	19.1	3	60
U9161212AL	9/16-12UNC	12	11.9	29.6	4	83
U83604AL	No.8-36UNF	4	3	8.5	3	50
U103204AL	No.10-32UNF	4	3.3	11.1	3	50
U122804AL	No.12-28UNF	4	3.8	11.8	3	50
U142806AL	1/4-28UNF	6	4.6	12.7	3	50
U102404AL	No.10-24UNC	4	2.9	10.6	3	50
U5162406AL	5/16-24UNF	6	5.7	15.9	3	50
U382408AL	3/8-24UNF	8	7.4	19.1	3	60
U7162010AL	7/16-20UNF	10	8.5	22.9	4	75
U122010AL	1/2-20UNF	10	9.9	25.4	4	75
U9161812AL	9/16-18UNF	12	11.3	29.6	4	83
U581812AL	5/8-18UNF	12	11.9	32.5	4	83
U341616AL	3/4-16UNF	16	15.9	38.1	4	92
U7161408AL	7/16-14UNC	8	7.6	23.6	4	60
U781420AL	7/8-14UNF	20	18.7	44.4	4	100
U121310AL	1/2-13UNC	10	8.9	25.4	4	75
U11121220AL	1"-1 1/2"12UNF	20	19.9	50.8	5	100
U581112AL	5/8-11UNC	12	11	32.3	4	83
U341016AL	3/4-10UNC	16	13.5	38.1	5	92
U78916AL	7/8-9UNC	16	15.2	45.2	4	92
U1820AL	1"-8UNC	20	17	50.8	4	100

铝用螺纹铣刀 Thread milling cutter for aluminum


螺纹铣刀 (G) Thread Milling Cutter(G)



标准: B.S.2779:1956
精度等级: 中等A级

商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
G1162806AL	G1/16-28	6	5.8	16.3	3	60
G182808AL	G1/8-28	8	7.7	20	3	60
G141910AL	G1/4-19	10	9.9	26.7	4	75
G381916AL	G3/8-19	16	13.4	33.4	4	92
G341416AL	G3/4-14	16	15.7	43.5	5	92
G121416AL	G1/2-14	16	15.7	43.5	5	92
G341416AL	G3/4-14	16	15.7	43.5	5	92
G11120AL	G1"-11	20	19.9	41.6	5	100
G1121120AL	G1 1/2"-11	20	19.9	41.6	5	100
G21120AL	G2"-11	20	19.9	41.6	5	100
G2121120AL	G2 1/2"-11	20	19.9	41.6	5	100

螺纹铣刀 (RC) Thread Milling Cutter(RC)




标准: B.S.21:1985
精度等级: 标准BSPT

商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
RC1162806AL	RC1/16-28	6	5.8	16.3	3	60
RC182808AL	RC1/8-28	8	7.7	20	3	60
RC141910AL	RC1/4-19	10	9.9	26.7	4	75
RC381916AL	RC3/8-19	16	13.4	33.4	4	92
RC121416AL	RC1/2"-14	16	15.7	43.5	5	92
RC341416AL	RC3/4"-14	16	15.7	43.5	5	92
RC11120AL	RC1"-11	20	19.9	41.6	5	100
RC1121120AL	RC1 1/2"-11	20	19.9	41.6	5	100
RC21120AL	RC2"-11	20	19.9	41.6	5	100
RC2121120AL	RC2 1/2"-11	20	19.9	41.6	5	100

钢用螺纹铣刀 Thread milling cutter for steel

- 适用于加工普通钢、高硬钢、不锈钢、合金钢等多种材料;
- Suitable for processing common steel, high-hardness steel, stainless steel, alloy steel and other materials
- 采用纳米复合涂层,使铣刀更加耐磨;
- Nano-composite coating is adopted to ensure the wear resistance of the tool
- 采用高档的硬质合金基材,材料兼具耐磨性与抗崩性;
- High-grade cemented carbide substrate is adopted, which has both wear resistance and collapse resistance
- 外型采用全磨刃口及钝化处理,有效提升尺寸精度;
- The appearance adopts fully-ground cutting edge and passivation treatment, which effectively improves the dimensional accuracy




钢用螺纹铣刀 Thread milling cutter for steel

螺纹铣刀 (ISO单牙)



Thread Milling Cutter(ISO Single Thread)

标准: R262 (DIN 13)
精度等级: 6H



商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长 L1	刃数 R	总长 L
CTMS01002504	M1.0*0.25	4	0.73	2.3	3	50
CTMS01202504	M1.2*0.25	4	0.92	2.8	3	50
CTMS01403004	M1.4*0.3	4	1.05	3.2	3	50
CTMS01603504	M1.6*0.35	4	1.20	3.4	3	50
CTMS01803504	M1.8*0.35	4	1.40	4.5	3	50
CTMS02004004	M2.0*0.4	4	1.55	5.0	3	50
CTMS02204504	M2.2*0.45	4	1.65	5.5	3	50
CTMS02504504	M2.5*0.45	4	1.95	6.2	3	50
CTMS03005004	M3.0*0.5	4	2.40	7.5	3	50
CTMS03506004	M3.5*0.6	4	2.75	8.7	3	50
CTMS04007004	M4.0*0.7	4	3.15	10.0	3	50
CTMS05008006	M5.0*0.8	6	4.05	12.5	3	50
CTMS06010006	M6.0*1.0	6	4.80	15.0	3	50
CTMS08012508	M8.0*1.25	8	6.50	20.0	4	60
CTMS10015010	M10*1.5	10	8.20	25.0	4	75
CTMS12017510	M12*1.75	10	9.90	30.0	6	75
CTMS14020012	M14*2.0	12	11.60	36.0	6	75
CTMS16020012	M16*2.0	12	11.90	40.0	6	83
CTMS20025016	M20*2.5	16	15.90	50.0	6	100
★ CTMS05008004	M5.0*0.8	4	3.90	12.5	3	50
★ CTMS06010004	M6.0*1.0	4	3.95	15.0	3	50
★ CTMS08012506	M8.0*1.25	6	5.90	20.0	3	60
★ CTMS10015008	M10*1.5	8	7.90	25.0	4	60


带★为常用缩柄经济型

钢用螺纹铣刀 Thread milling cutter for steel

螺纹铣刀 (ISO三牙) Thread Milling Cutter (ISO Three Teeth)



标准: R262 (DIN 13)
精度等级: 6H



商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长 L1	刃数 R	总长 L
CTMT01002504	M1.0*0.25	4	0.73	2.3	3	50
CTMT01202504	M1.2*0.25	4	0.92	2.8	3	50
CTMT01403004	M1.4*0.3	4	1.05	3.2	3	50
CTMT01603504	M1.6*0.35	4	1.20	3.4	3	50
CTMT01803504	M1.8*0.35	4	1.40	4.0	3	50
CTMT02004004	M2.0*0.4	4	1.55	4.2	3	50
CTMT02204504	M2.2*0.45	4	1.65	4.6	3	50
CTMT02504504	M2.5*0.45	4	1.95	5.2	3	50
CTMT03005004	M3.0*0.5	4	2.40	6.2	3	50
CTMT03506004	M3.5*0.6	4	2.75	7.3	3	50
CTMT04007004	M4.0*0.7	4	3.15	8.3	3	50
CTMT05008006	M5.0*0.8	6	4.05	10.4	3	50
CTMT06010006	M6.0*1.0	6	4.80	12.5	3	50
CTMT08012508	M8.0*1.25	8	6.50	16.6	4	60
CTMT10015010	M10*1.5	10	8.20	20.8	4	75
CTMT12017510	M12*1.75	10	9.90	25.0	4	75
CTMT14020012	M14*2.0	12	11.60	30.0	4	75
CTMT16020012	M16*2.0	12	11.90	33.0	4	80
CTMT20025016	M20*2.5	16	15.90	41.3	5	100
★ CTMT05008004	M5.0*0.8	4	3.90	10.4	3	50
★ CTMT06010004	M6.0*1.0	4	3.95	12.5	3	50
★ CTMT08012506	M8.0*1.25	6	5.90	16.6	3	60
★ CTMT10015008	M10*1.5	8	7.90	20.8	4	60


带★为常用缩柄经济型

钢用螺纹铣刀 Thread milling cutter for steel

螺纹铣刀 (ISO全牙)



Thread Milling Cutter(ISO Full Tooth)




标准: R262(DIN 13)
精度等级: 6g/6H

商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长 L1	刃数 F	总长 L	齿数 Z
CTMF03005004	M3.0*0.5	4	2.4	6	3	50	12
CTMF04007004	M4.0*0.7	4	3.15	8	3	50	12
CTMF04507504	M4.5*0.75	4	3.9	9	3	50	12
CTMF05008004	M5.0*0.8	4	3.9	10	3	50	13
CTMF06010006	M6.0*1.0	6	4.8	12	3	50	12
CTMF08012508	M8.0*1.25	8	6.5	16.25	4	60	13
CTMF10015010	M10*1.5	10	8.2	21	4	75	14
CTMF12017510	M12*1.75	10	9.9	24.5	4	75	14
CTMF14020012	M14*2.0	12	11.6	28	4	75	14
CTMF16020014	M16*2.0	14	13.6	32	4	80	16
CTMF18025016	M18*2.5	16	14.8	36	4	100	14
CTMF20025018	M20*2.5	18	17.1	40	4	100	16
CTMF24030020	M24*3.0	20	19.9	50	4	100	16
★ CTMF06010004	M6.0*1.0	4	3.9	12	3	50	12
★ CTMF08012506	M8.0*1.25	6	5.8	16.25	3	60	13
★ CTMF10015008	M10*1.5	8	7.7	21	3	60	14
★ CTMF12017510	M12*1.75	10	8.7	24.5	4	75	14
★ CTMF14020010	M14*2.0	10	9.9	28	4	75	14
★ CTMF16020012	M16*2.0	12	11.9	32	4	83	16
★ CTMF18025012	M18*2.5	12	11.9	36	4	83	14
★ CTMF20025016	M20*2.5	16	15.9	40	4	92	16
★ CTMF24030016	M24*3.0	16	15.9	50	4	92	16
CTMF04005004	M4.0*0.5	4	3.0	8	3	50	16
CTMF05005004	M5.0*0.5	4	3.9	10	3	50	20
CTMF06007504	M6.0*0.75	4	3.9	12	3	50	16
CTMF08010006	M8.0*1.0	6	5.9	16	3	60	16
CTMF10010008	M10*1.0	8	7.9	20	3	60	20
CTMF12010010	M12*1.0	10	9.9	24	4	75	24
CTMF10012508	M10*1.25	8	7.7	20	3	60	16
CTMF12015010	M12*1.5	10	9.4	24	4	75	16
CTMF14015012	M14*1.5	12	11.2	28.5	4	83	19
CTMF16015012	M16*1.5	12	11.9	33	4	83	22
CTMF20020012	M20*2.0	12	11.9	32	4	83	16

带★为常用缩柄经济型

钢用螺纹铣刀 Thread milling cutter for steel


螺纹铣刀 (NPTF) Thread Milling Cutter(NPTF)



标准: ANSI 1.20.3-1976
精度等级: 标准NPTF

商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
NPTF1162706	NPTF1/16"-27	6	5.3	9.4	3	60
NPTF182708	NPTF1/8"-27	8	7.5	9.4	4	60
NPTF141810	NPTF1/4"-18	10	9.4	14.1	4	75
NPTF381812	NPTF3/8"-18	12	11.9	14.1	4	83
NPTF121416	NPTF1/2"-14	16	15.5	25.4	5	92
NPTF341416	NPTF3/4"-14	16	15.5	25.4	5	92
NPTF111.5	NPTF1"-11.5	20	19.9	33.1	5	100
NPTF211.5	NPTF2"-11.5	20	19.9	33.1	5	100
NPTF212820	NPTF2 1/2"-8	20	19.9	38.1	4	100
NPTF3820	NPTF3"-8	20	19.9	38.1	4	100

螺纹铣刀 (NPT) Thread Milling Cutter(NPT)



标准: AUSAS B2.1:1968
精度等级: 标准NPT


商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
NPT1162706	NPT1/16-27	6	5.3	9.4	3	60
NPT182708	NPT1/8-27	8	7.5	9.4	4	60
NPT141810	NPT1/4-18	10	9.4	14.1	4	75
NPT381812	NPT3/8-18	12	11.9	14.1	4	83
NPT121416	NPT1/2"-14	16	15.5	25.4	5	92
NPT341416	NPT3/4"-14	16	15.5	25.4	5	92
NPT111.5	NPT1"-11.5	20	19.9	33.1	5	100
NPT211.5	NPT2"-11.5	20	19.9	33.1	5	100
NPT212820	NPT2 1/2"-8	20	19.9	38.1	4	100
NPT3820	NPT3"-8	20	19.9	38.1	4	100

钢用螺纹铣刀 Thread milling cutter for steel

螺纹铣刀 (UN三牙) Thread Milling Cutter(UN Three Teeth)




标准: ANSI B1.1:74
精度等级: 2B



商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
CTMTU17206	No.1-72UNF	6	1.45	3.9	3	60
CTMTU16406	No.1-64UNC	6	1.4	4.2	3	60
CTMTU26406	No.2-64UNF	6	1.4	4.2	3	60
CTMTU25606	No.2-56UNC	6	1.65	5	3	60
CTMTU35606	No.3-56UNF	6	1.65	5	3	60
CTMTU34806	No.3-48UNC	6	1.9	6	3	60
CTMTU44806	No.4-48UNF	6	1.9	6	3	60
CTMTU44006	No.4-40UNC	6	2.1	6	3	60
CTMTU54006	No.5-40UNC	6	2.1	6	3	60
CTMTU64006	No.6-40UNF	6	2.45	7.2	3	60
CTMTU83606	No.8-36UNF	6	3.3	8.7	3	60
CTMTU83206	No.8-32UNC	6	2.55	7.4	3	60
CTMTU103206	No.10-32UNF	6	3.8	10.3	3	60
CTMTU142806	1/4"-28UNF	6	5.25	13.2	3	60
CTMTU102406	No.10-24UNC	6	3.58	10.2	3	60
CTMTU5162408	5/16"-24UNF	8	6.68	16.5	3	60
CTMTU142006	1/4"-20UNC	6	4.88	13.4	3	60
CTMTU7162010	7/16"-20UNF	10	9.55	23	3	75
CTMTU5161808	5/16"-18UNC	8	6.15	16.9	3	60
CTMTU381608	3/8"-16UNC	8	6.7	19.1	3	60
CTMTU7161410	7/16"-14UNC	10	9	23.3	3	75

钢用螺纹铣刀 Thread milling cutter for steel

螺纹铣刀 (美制UN) Thread Milling Cutter(American UN)



标准: ANSI B1.1.74
精度等级: 2A/2B


商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
U83204	No.8-32UNC	4	3.9	8.7	3	50
U122804	No.12-28UNF	4	3.9	11.8	3	50
U122404	No.12-24UNC	4	3.9	11.6	3	50
U142004	1/4-20UNC	4	3.9	12.7	3	50
U5161806	5/16-18UNC	6	5.9	16.9	3	50
U381608	3/8-16UNC	8	7.9	19.1	3	60
U9161212	9/16-12UNC	12	11.9	29.6	4	83
U83604	No.8-36UNF	4	3	8.5	3	50
U103204	No.10-32UNF	4	3.3	11.1	3	50
U122804	No.12-28UNF	4	3.8	11.8	3	50
U142806	1/4-28UNF	6	4.6	12.7	3	50
U102404	No.10-24UNC	4	2.9	10.6	3	50
U5162406	5/16-24UNF	6	5.7	15.9	3	50
U382408	3/8-24UNF	8	7.4	19.1	3	60
U7162010	7/16-20UNF	10	8.5	22.9	4	75
U122010	1/2-20UNF	10	9.9	25.4	4	75
U9161812	9/16-18UNF	12	11.3	29.6	4	83
U581812	5/8-18UNF	12	11.9	32.5	4	83
U341616	3/4-16UNF	16	15.9	38.1	4	92
U7161408	7/16-14UNC	8	7.6	23.6	4	60
U781420	7/8-14UNF	20	18.7	44.4	4	100
U121310	1/2-13UNC	10	8.9	25.4	4	75
U11121220	1"-1 1/2"12UNF	20	19.9	50.8	5	100
U581112	5/8-11UNC	12	11	32.3	4	83
U341016	3/4-10UNC	16	13.5	38.1	5	92
U78916	7/8-9UNC	16	15.2	45.2	4	92
U1820	1"-8UNC	20	17	50.8	4	100

钢用螺纹铣刀 Thread milling cutter for steel

螺纹铣刀 (G) Thread Milling Cutter(G)



标准: B.S.2779:1956
精度等级: 中等A级




商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
G1162806	G1/16-28	6	5.8	16.3	3	60
G182808	G1/8-28	8	7.7	20	3	60
G141910	G1/4-19	10	9.9	26.7	4	75
G381916	G3/8-19	16	13.4	33.4	4	92
G341416	G3/4-14	16	15.7	43.5	5	92
G121416	G1/2-14	16	15.7	43.5	5	92
G341416	G3/4-14	16	15.7	43.5	5	92
G11120	G1"-11	20	19.9	41.6	5	100
G1121120	G1 1/2"-11	20	19.9	41.6	5	100
G21120	G2"-11	20	19.9	41.6	5	100
G2121120	G2 1/2"-11	20	19.9	41.6	5	100

螺纹铣刀 (RC) Thread Milling Cutter(RC)



标准: B.S.21:1985
精度等级: 标准BSPT



商品编码 (Item No.)	螺纹尺寸 (Thread Size)	柄径 D	刃径 D2	有效长度 L1	刃数 F	总长 L
RC1162806	RC1/16-28	6	5.8	16.3	3	60
RC182808	RC1/8-28	8	7.7	20	3	60
RC141910	RC1/4-19	10	9.9	26.7	4	75
RC381916	RC3/8-19	16	13.4	33.4	4	92
RC121416	RC1/2"-14	16	15.7	43.5	5	92
RC341416	RC3/4"-14	16	15.7	43.5	5	92
RC11120	RC1"-11	20	19.9	41.6	5	100
RC1121120	RC1 1/2"-11	20	19.9	41.6	5	100
RC21120	RC2"-11	20	19.9	41.6	5	100
RC2121120	RC2 1/2"-11	20	19.9	41.6	5	100



电话:0592-6221168 传真:0592-6221198
网站:<https://xyctaps.com>



扫二维码
了解更多产品